

KLEMPÍŘSKÁ VÝROBA

Viplanyl

Barevný vzorník plechů Viplanyl
(číselný kód výrobce/RAL kód)

707/7035

712/7040

740/7015

760/9004

860/8017

460/3016

660/5102

zde vyobrazené odstíny jsou pouze informativní


Tabule Viplanyl

rozměr	cena
2 x 1 m	1500,- Kč/ks

Cena plechů je uvedena za kus (2 bm)


L – profil (vnitřní)

typ	rozvin (mm)	A (mm)	B (mm)	úhel α (°)	počet (ks)	cena (Kč/ks)
1A	100	40	60	95	10	150.-
1B	100	40	60	110	10	150.-
1C	70	20	50	95	10	105.-
1D	70	20	50	110	10	105.-




L – profil (vnější)

typ	rozvin (mm)	A (mm)	B (mm)	úhel α (°)	počet (ks)	cena (Kč/ks)
2A	100	60	40	88	10	150,-
2B	70	50	20	88	10	105,-




tmelící lišta

typ	rozvin (mm)	A (mm)	B (mm)	C (mm)	úhel α (°)	počet (ks)	cena (Kč/ks)
3A	70	10	10	50	145	10	105,-
3B	100	10	10	80	145	10	150,-




zařezávací lišta

typ	rozvin (mm)	A (mm)	B (mm)	C (mm)	úhel α (°)	počet (ks)	cena (Kč/ks)
4	100	15	75	10	92	10	150,-




atiková okapnice

typ	rozvin (mm)	A (mm)	B (mm)	C (mm)	Úhel α (°)	Úhel β (°)	počet (ks)	cena (Kč/ks)
5A	150	105	30	15	105	35	5	225,-
5B	200	155	30	15	105	35	5	300,-
5C	250	205	30	15	105	35	5	375,-
5D	300	255	30	15	105	35	5	450,-




rovná lišta

typ	rozvin (mm)	A (mm)	B (mm)	počet (ks)	cena (Kč/ks)
6A	100	90	10	10	150,-
6B	70	60	10	10	105,-




okapnice háková

typ	rozvin (mm)	A (mm)	B (mm)	C (mm)	D (mm)	Úhel α (°)	Úhel β (°)	Úhel γ (°)	Počet (ks)	Cena (Kč/ks)
7A	150	50	40	50	10	145	60	35	5	225,-
7B	200	100	40	50	10	145	60	35	5	300,-
7C	250	150	40	50	10	145	60	35	5	375,-




okapnice - závětrná

typ	rozvin (mm)	A (mm)	B (mm)	C (mm)	D (mm)	Úhel α (°)	Úhel β (°)	Úhel γ (°)	Počet (ks)	Cena (Kč/ks)
7D	200	70	50	70	10	90	2	35	5	300,-
7E	250	120	50	70	10	90	2	35	5	375,-




tmelící lišta pojistná

typ	rozvin (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Úhel α (°)	Úhel β (°)	Úhel γ (°)	Počet (ks)	Cena (Kč/ks)
8	100	10	25	15	30	10	145	135	132	5	150,-



tmelící lišta L.profil

typ	rozvin (mm)	A (mm)	B (mm)	C (mm)	D (mm)	Úhel α (°)	Úhel β (°)	Počet (ks)	Cena (Kč/ks)
9	250	80	150	10	10	95	145	5	375,-




CENY JSOU UVEDENY BEZ DPH

CENY JSOU UVEDENY BEZ DOPRAVY


závětná lišta

číslo	rozvin (mm)	A	B	C	D	E	F	Úhel α (°)	Úhel β (°)	Úhel γ (°)	Úhel δ (°)	počet (ks)	cena (Kč/ks)
10	300	85	50	90	30	30	15	92	110	105	35	5	450,-




příklopná lišta

číslo	rozvin (mm)	A (mm)	B (mm)	C (mm)	Úhel α (°)	počet (ks)	cena (Kč/ks)
12A	100	10	80	10	145	10	150,-
12B	70	10	50	10	145	10	105,-



zarážka štěrku*

typ	rozvin (mm)	A (mm)	B (mm)	C (mm)	D (mm)	Úhel α (°)	Úhel β (°)	počet (ks)	cena (Kč/ks)
14A	170	15	60	80	15	35	90	10	650,-



* z přední strany perforováno pro průtok vody

podkladní plech (pozink)

typ	rozvin (mm)	A (mm)	B (mm)	úhel α (°)	počet (ks)	materiál	cena (Kč/ks)
15A	200	28	172	105	10	pozink tl. 0,55 mm	152,-
15B	250	28	222	105	10	pozink tl. 0,55 mm	190,-
15C	200	28	172	105	10	pozink tl. 0,8 mm	184,-
15D	250	28	222	105	10	pozink tl. 0,8 mm	230,-

